

Steel Specifications for



Part #	OD	Thick	Teeth
511014	3.000	0.062	23
511013	3.370	0.079	23
511016	3.595	0.068	23
511006	3.665	0.048	2
511015	3.895	0.070	26
511904	3.914	0.071	48
511879	3.970	0.070	39
511872	3.970	0.078	39
511051	4.150	0.063	18
511876	4.252	0.071	24
511874	4.420	0.078	8
511880	4.420	0.069	8
511886	4.490	0.071	20
511827	4.525	0.062	44
511828	4.525	0.068	44
511826	4.525	0.055	44
511839	4.558	0.067	6
511994	4.570	0.071	8
511878	4.575	0.078	8
511899	4.575	0.063	8
511858	4.621	0.069	
511892	4.649	0.071	8
511663	4.690	0.063	18
511983	4.700	0.079	40
511853	4.724	0.098	28
511856	4.724	0.079	28
511640	4.745	0.086	34
511112	4.765	0.138	32
511855	4.772	0.062	28
511893	4.805	0.078	10
511898	4.805	0.069	10
511050	4.810	0.063	10
511895	4.830	0.118	24
511901	4.918	0.072	30
511902	4.920	0.065	30
511835	4.970	0.079	17
511917	4.976	0.063	24
511894	4.984	0.079	24
511897	4.985	0.091	24
511979	4.985	0.091	24
511896	4.987	0.102	24
511037	5.000	0.098	20/30
511115	5.001	0.079	34
511032	5.073	0.039	25
511019	5.090	0.158	25
511018	5.090	0.100	25

Raybestos Steel Dimensions

511848	5.103	0.079	8
511036	5.105	0.090	24
511771	5.107	0.059	3
511034	5.130	0.090	20
511867	5.195	0.069	8
511875	5.200	0.080	8
511883	5.203	0.071	8
511825	5.225	0.091	8
511837	5.225	0.078	53
511882	5.257	0.070	20
511830	5.257	0.098	24
511863	5.268	0.122	24
511860	5.268	0.079	24
511861	5.272	0.078	6
511866	5.277	0.070	24
511020	5.295	0.079	24/26
511869	5.366	0.069	15
511211	5.376	0.070	16
511960	5.392	0.079	30
511870	5.397	0.094	8
511868	5.405	0.069	8
511838	5.405	0.118	8
511829	5.410	0.079	8
511143	5.420	0.065	27
511033	5.445	0.071	6
511035	5.472	0.069	50
511005	5.505	0.060	30
511038	5.564	0.155	9
511849	5.589	0.118	6
511834	5.589	0.157	6
511833	5.589	0.091	6
511850	5.606	0.071	6
511840	5.615	0.099	16
511841	5.615	0.071	16
511832	5.615	0.157	16
511022	5.620	0.098	20/30
511021	5.620	0.071	20/30
511843	5.625	0.062	6
511857	5.665	0.079	13
511903	5.670	0.071	13/15
511900	5.703	0.090	13
511854	5.793	0.063	
511847	5.817	0.071	29
511831	5.817	0.100	29
511772	5.859	0.060	3
511506	5.896	0.075	11
511842	5.923	0.069	15
511887	5.960	0.063	37
511885	5.975	0.069	12
511884	5.975	0.071	12
511456	5.990	0.129	3

Raybestos Steel Dimensions

511674	6.030	0.071	24
511851	6.036	0.070	12
511139	6.062	0.069	34
511027	6.090	0.071	20
511028	6.090	0.098	20
511865	6.093	0.080	12
511582	6.117	0.095	20
511023	6.125	0.071	20/30
511877	6.136	0.071	12
511864	6.163	0.080	30
511871	6.177	0.092	7
511873	6.188	0.080	7
511466	6.275	0.042	6
511460	6.275	0.092	12/14
511469	6.275	0.042	14
511905	6.285	0.063	14/15
511057	6.415	0.098	32
511620	6.502	0.098	44
511047	6.578	0.090	26
511042	6.578	0.059	26
511041	6.578	0.125	26
511111	6.585	0.060	12
511026	6.605	0.040	17
511024	6.605	0.098	17
511107	6.700	0.080	20/28
511045	6.799	0.080	60
511029	6.800	0.071	20
511881	6.898	0.071	12
511852	6.898	0.099	12
511105	7.085	0.079	32
511048	7.085	0.079	32
511836	7.135	0.079	8
511846	7.177	0.079	6
511046	7.204	0.079	18
511844	7.276	0.071	10
511888	7.325	0.057	12
511889	7.325	0.060	12
511862	7.358	0.078	8
511039	7.410	0.153	16
511031	7.410	0.040	16
511030	7.410	0.098	16
511008	7.445	0.079	18
511009	7.445	0.099	18
511132	7.445	0.099	18
511131	7.445	0.089	18
511129	7.445	0.068	18
511130	7.447	0.079	18
511624	7.480	0.098	48
511619	7.636	0.100	18
511641	8.015	0.087	42
511043	8.328	0.079	30

Raybestos Steel Dimensions

511049	8.338	0.125	26/30
511610	8.635	0.100	30
511044	9.203	0.079	6
511104	9.215	0.079	6/32
511643	9.610	0.125	27/36
511642	9.610	0.098	27/36
511615	9.640	0.104	14
511611	9.696	0.100	9/36
511645	9.705	0.079	36
511644	9.705	0.098	36
511646	9.705	0.120	36
511617	9.735	0.100	36
511622	10.306	0.098	24/48
511621	11.086	0.098	48
511623	11.216	0.098	48
511618	11.496	0.100	11
511616	11.615	0.098	15
511625	12.910	0.098	56
511628	13.843	0.131	45
511626	13.873	0.098	24/56
511627	13.873	0.098	56